


Aerial Map



Soils Map-CSR(as of 1/21/12)



Field borders provided by Farm Service Agency as of 5/21/2008. Soils data provided by USDA and NRCS.



State: County: Iowa Clay

Location:

32-96N-36W

Township: Acres:

Sioux 125.8

Date:

9/27/2012






Maps provided by:

©AgriData, Inc 2012


| | | | S | www.AgriL | ataInc.com | | | |
|------------------|---|-------|------------------|---------------|------------------|------|-------|----------|
| Code | Soil Description | Acres | Percent of field | CSR Legend | Non-Irr Class | CSR* | Corn | Soybeans |
| 133 | Colo silty clay loam, 0 to 2 percent slopes, occasionally flooded | 34.1 | 27.1% | | llw | 73 | 184 | 47 |
| 577B | Everly clay loam, 2 to 5 percent slopes | 32.2 | 25.6% | | lle | 68 | 177 | 41 |
| 455 | Wilmonton clay loam, 1 to 3 percent slopes | 14.5 | 11.5% | | - 1 | 74 | 185 | 41 |
| 41C | Sparta loamy sand, 5 to 9 percent slopes | 7.3 | 5.8% | | VIs | 5 | | |
| 203 | Cylinder loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes | 6.8 | 5.4% | | lls | 71 | 181 | 40 |
| 577C2 | Everly clay loam, 5 to 9 percent slopes, moderately eroded | 6.8 | 5.4% | | Ille | 51 | 154 | 37 |
| 108 | Wadena loam, 24 to 32 inches to sand and gravel, o to 2 percent slopes | 4.3 | 3.4% | | lls | 52 | 155 | 30 |
| 541C | Estherville-Hawick complex, 5 to 9 percent slopes | 3.8 | 3.0% | 美国共享 | l√s | 5 | 92 | 16 |
| 175B | Dickinson fine sandy loam, 2 to 5 percent slopes | 3.7 | 3.0% | | Ille | 36 | 134 | 23 |
| 135 | Coland clay loam, 0 to 2 percent slopes, occasionally flooded | 2.4 | 1.9% | 6.00 p.000 | llw | 78 | 190 | 40 |
| 397 | Letri clay loam, 0 to 2 percent slopes | 2.3 | 1.9% | SEA COLD | llw | 72 | 182 | 44 |
| 637D2 | Everly-Moneta complex, 9 to 14 percent slopes, moderately eroded | 2.3 | 1.8% | S. September | Ille | 37 | 135 | 31 |
| 31 | Afton silty clay loam, 0 to 2 percent slopes | 2 | 1.5% | The party of | llw | 75 | 186 | 51 |
| 108B | Wadena loam, 24 to 32 inches to sand and gravel, 2 to 5 percent slopes | 1.2 | 1.0% | | lle | 47 | 148 | 29 |
| 308 | Wadena loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes | 1 | 0.8% | | lls | 65 | 173 | 35 |
| 875B | Roine fine sandy loam, 2 to 5 percent slopes | 1 | 0.8% | | Ille | 41 | 140 | 37 |
| 1585 | Spillville-Coland complex, channeled, 0 to 2 percent slopes, frequently flooded | 0.1 | 0.1% | | Vw | 25 | | |
| Weighted Average | | | | | | | 162.9 | 38.1 |

Note: ALL soils information on this page is dated 1/21/2012 *CSR ratings will be available for a limited time to aid in the transition to CSR2.

Soils Map-CSR2



Field borders provided by Farm Service Agency as of 5/21/2008. Soils data provided by USDA and NRCS.



State: County: lowa Clay

Location:

32-96N-36W

Township: Acres: Sioux 125.8

Date:

9/24/2012





Maps provided by:

Surety

CAGRIDATA, Inc 2012

| | s | \$ www.AgriDataInc.com | | | | | | |
|-------|---|------------------------|------------------|---------------|------------------|--------|--|--|
| Code | Soil Description | Acres | Percent of field | CSR Legend | Non-Irr Class | CSR2** | | |
| 133 | Colo silty clay loam, 0 to 2 percent slopes, occasionally flooded | 34.1 | 27.1% | | llw | 67 | | |
| 577B | Everly clay loam, 2 to 5 percent slopes | 32.2 | 25.6% | 11/26/9 | lle | 74 | | |
| 455 | Wilmonton clay loam, 1 to 3 percent slopes | 14.5 | 11.5% | | I | 77 | | |
| 41C | Sparta loamy sand, 5 to 9 percent slopes | 7.3 | 5.8% | | VIs | 25 | | |
| 203 | Cylinder loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes | 6.8 | 5.4% | | lls | 49 | | |
| 577C2 | Everly clay loam, 5 to 9 percent slopes, moderately eroded | 6.8 | 5.4% | | Ille | 69 | | |
| 108 | Wadena loam, 24 to 32 inches to sand and gravel, o to 2 percent slopes | 4.3 | 3.4% | | lls | 45 | | |
| 541C | Estherville-Hawick complex, 5 to 9 percent slopes | 3.8 | 3.0% | | IVs | 14 | | |
| 175B | Dickinson fine sandy loam, 2 to 5 percent slopes | 3.7 | 3.0% | | IIIe | 37 | | |
| 135 | Coland clay loam, 0 to 2 percent slopes, occasionally flooded | 2.4 | 1.9% | | llw | 62 | | |
| 397 | Letri clay loam, 0 to 2 percent slopes | 2.3 | 1.9% | | llw | 76 | | |
| 637D2 | Everly-Moneta complex, 9 to 14 percent slopes, moderately eroded | 2.3 | 1.8% | | Ille | 42 | | |
| 31 | Afton silty clay loam, 0 to 2 percent slopes | 2 | 1.5% | | llw | 71 | | |
| 108B | Wadena loam, 24 to 32 inches to sand and gravel, 2 to 5 percent slopes | 1.2 | 1.0% | | lle | 42 | | |
| 308 | Wadena loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes | 1 | 0.8% | | lls | 50 | | |
| 875B | Roine fine sandy loam, 2 to 5 percent slopes | 1 | 0.8% | | Ille | 67 | | |
| 1585 | Spillville-Coland complex, channeled, 0 to 2 percent slopes, frequently flooded | 0.1 | 0.1% | | Vw | 23 | | |
| | • | Weighted Average | | | | | | |

^{**}These values could be either CSR or CSR2 until updates are completed by October 1, 2012. To confirm value status, run a CSR map and compare values. If they are identical to the CSR2 map, the map reflects CSR values, if they are different, the map reflects CSR2 values