



Soils Map



State: Iowa
 County: Clay
 Location: 027-097N-035W
 Township: Lake

Parcel A





Maps provided by:
surety
 ©AgriData, Inc 2008
 www.AgrIDataInc.com

Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR Legend	Non-Irr Class	CSR	Bromegrass alfalfa	Bromegrass alfalfa hay	Corn	Kentucky bluegrass	Oats	Smooth bromegrass	Soybeans
138B	Clarion loam, 2 to 5 percent slopes	48.7	25.8%		IIe	74	6.7	5.5	185	3.2	92	5.4	42
507	Canisteo clay loam, 0 to 2 percent slopes	33.7	17.8%		IIw	73	6.5	3.8	184	3.1	89	5.2	41
107	Webster silty clay loam, 0 to 2 percent slopes	33.4	17.6%		IIw	77	6.7	3.9	189	3.2	92	5.4	42
55	Nicollet loam, 1 to 3 percent slopes	30.9	16.3%		I	82	7.3	5.7	196	3.5	99	5.8	45
6	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	25.6	13.5%		IIIw	55	5.6	3.3	159	2.7	76	4.5	35
138C2	Clarion loam, 5 to 9 percent slopes, moderately eroded	14	7.4%		IIIe	59	6.3	5.1	165	3	85	5	39
95	Harpis loam, 0 to 2 percent slopes	3.2	1.7%		IIw	57	5.8	3.4	162	2.8	79	4.6	36
Weighted Average						71.8	6.6	4.6	182.1	3.1	89.8	5.3	41.1

Soils Map





State: Iowa
 County: Clay
 Location: 027-097N-035W
 Township: Lake
 Parcel B



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR Legend	Non-Irr Class	CSR	Brome grass alfalfa	Brome grass alfalfa hay	Corn	Kentucky bluegrass	Oats	Smooth brome grass	Soybeans
507	Canisteo clay loam, 0 to 2 percent slopes	16.1	40.4%		IIw	73	6.5	3.8	184	3.1	89	5.2	41
55	Nicollet loam, 1 to 3 percent slopes	9.5	23.9%		I	82	7.3	5.7	196	3.5	99	5.8	45
138B	Clarion loam, 2 to 5 percent slopes	6.4	16.2%		IIe	74	6.7	5.5	185	3.2	92	5.4	42
6	Okoboji silty clay loam, depressional, 0 to 1 percent slopes	4.3	10.8%		IIIw	55	5.6	3.3	159	2.7	76	4.5	35
138C2	Clarion loam, 5 to 9 percent slopes, moderately eroded	2.6	6.5%		IIIe	59	6.3	5.1	165	3	85	5	39
95	Harps loam, 0 to 2 percent slopes	0.7	1.7%		IIw	57	5.8	3.4	162	2.8	79	4.6	36
107	Webster silty clay loam, 0 to 2 percent slopes	0.2	0.5%		IIw	77	6.7	3.9	189	3.2	92	5.4	42
Weighted Average						72.2	6.6	4.6	182.7	3.2	90.1	5.3	41.3

Soils Map



State: Iowa
 County: Clay
 Location: 027-097N-035W
 Township: Lake
 Parcel C



Maps provided by:



©AgriData, Inc 2008
 www.AgriDataInc.com

Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	CSR Legend	Acres	Percent of field	Non-Irr Class	CSR	Bromegrass alfalfa	Bromegrass alfalfa hay	Corn	Kentucky bluegrass	Oats	Smooth brome	Soybeans
507	Canisteo clay loam, 0 to 2 percent slopes		29.9	44.0%	IIw	73	6.5	3.8	184	3.1	89	5.2	41
6	Okoboji silty clay loam, depressional, 0 to 1 percent slopes		12.7	18.7%	IIIw	55	5.6	3.3	159	2.7	76	4.5	35
138B	Clarion loam, 2 to 5 percent slopes		10.8	16.0%	Ile	74	6.7	5.5	185	3.2	92	5.4	42
55	Nicollet loam, 1 to 3 percent slopes		6	8.8%	I	82	7.3	5.7	196	3.5	99	5.8	45
95	Harps loam, 0 to 2 percent slopes		3.8	5.6%	IIw	57	5.8	3.4	162	2.8	79	4.6	36
107	Webster silty clay loam, 0 to 2 percent slopes		2.4	3.6%	IIw	77	6.7	3.9	189	3.2	92	5.4	42
138C2	Clarion loam, 5 to 9 percent slopes, moderately eroded		1.8	2.7%	IIIe	59	6.3	5.1	165	3	85	5	39
90	Okoboji mucky silty clay loam, depressional, 0 to 1 percent slopes		0.3	0.5%	IIIw	57	5.8	3.4	162	2.8	79	4.6	36
34B	Estherville sandy loam, 2 to 5 percent slopes		0.1	0.1%	IIIs	19	2.6	1.7	111	1	35	2	16
Weighted Average						69.3	6.4	4.2	178.8	3.1	87.3	5.1	40